L Number	Hits	Search Text	DB	Time stamp
Number	18415	((level OR game) NEAR2 (design\$4 OR	USPAT;	2003/12/15
	10413	edit\$4)) SAME (map OR level)	EPO; JPO; DERWENT;	13:43
-	601	((level OR game) NEAR2 (design\$4 OR edit\$4)) SAME (map OR level) AND (345/\$.ccls.)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/16 14:30
_	15	((level OR game) NEAR2 (design\$4 OR edit\$4)) SAME (map OR level) SAME (3D OR (three NEAR2 dimension\$3)) AND	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 13:47
_	7	(345/\$.ccls. OR 463/\$.ccls.) (((level OR game) NEAR2 (design\$4 OR edit\$4)) SAME (map OR level) SAME (3D OR (three NEAR2 dimension\$3) OR virtual)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2003/12/15 13:49
-	144	NEAR5 (world OR environment)) ((3D OR (three NEAR2 dimension\$3) OR virtual) NEAR5 (world OR environment)) SAME(design\$4 OR construct\$4 OR develop\$5) SAME ((user NEAR2 interface) OR GUI OR aid)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 14:23
-	184	The state of the s	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/15 14:24
_	12	("4905163" "5671381" "5808613" "5861885" "5880733" "5983220" "6073115" "6084590" "6088698" "6105036" "6111578" "6219045").PN.	USPAT	2003/12/15 14:45
_	8	6088698.URPN.	USPAT	2003/12/15 14:47
-	2822	<pre>(interface OR boundary OR border OR edge) AND ((virtual OR 3D OR (three NEAR2 dimension\$3)) NEAR5 (reality OR environment OR world)) AND (editor OR GUI OR (user NEAR2 interface))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:04
-	1120		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:05
-	428		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 09:47
-	3		USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/16 12:26
-	26	5572639.URPN.	USPAT	2003/12/16 10:08
-	2	6362817.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 13:10
-	2	6414679.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 12:28
-	5479	(3D OR (three NEAR5 dimension\$3)) SAME (align\$5 OR connect\$4 OR attach\$4 OR join\$4 OR bond\$4 OR link\$4 OR interfac\$4 OR mesh\$4) SAME (map OR level OR world OR terrain)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 13:15

			T	10000/100/
-	832	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/16
		(align\$5 OR connect\$4 OR attach\$4 OR	EPO; JPO;	13:20
		join\$4 OR bond\$4 OR link\$4 OR interfac\$4	DERWENT;	i I
		OR mesh\$4) SAME (map OR level OR world OR	IBM_TDB	1
		terrain) AND 345/\$.ccls.		
-	23	(3D OR (three NEAR5 dimension\$3)) SAME	USPAT;	2003/12/16
		(align\$5 OR connect\$4 OR attach\$4 OR	EPO; JPO;	13:26
		join\$4 OR bond\$4 OR link\$4 OR interfac\$4	DERWENT;	
		OR mesh\$4) SAME (map OR level OR world OR	IBM_TDB	
		terrain) SAME (copy OR duplicate OR	-	
		reproduction) AND 345/\$.ccls.		
_	11	345/662.ccls.	USPAT;	2003/12/16
			EPO; JPO;	13:46
			DERWENT;	
			IBM_TDB	
_	11	345/677.ccls.	USPAT;	2003/12/16
			EPO; JPO;	13:50
			DERWENT;	
			IBM_TDB	
-	12	345/679.ccls.	USPAT;	2003/12/16
			EPO; JPO;	14:27
			DERWENT;	
			IBM_TDB	
-	21	5894310.URPN.	USPAT	2003/12/16
}				13:52
_	14	("4813013" "4974174" "5261041"	USPAT	2003/12/16
		"5297241" "5553209" "5583977"		14:00
		"5583984" "5586237" "5611031"		
		"5642475" "5649086" "5701403"		.
		"5771044" "5825365").PN.		
_	407	((smart OR intelligent) NEAR2 (object OR	USPAT;	2003/12/16
		component)) SAME (align\$5 OR connect\$4 OR	EPO; JPO;	14:38
		join\$4 OR attach\$5 OR link\$4)	DERWENT;	
			IBM_TDB	
-	28		USPAT;	2003/12/16
		component)) SAME (align\$5 OR connect\$4 OR	EPO; JPO;	15:22
		join\$4 OR attach\$5 OR link\$4) AND	DERWENT;	
		345/\$.ccls.	IBM_TDB	
_	37	Venolia.in.	USPAT;	2003/12/16
			EPO; JPO;	15:30
			DERWENT;	
			IBM_TDB	
-	23	5463722.URPN.	USPAT	2003/12/16
				15:26
-	721	345/\$.ccls. AND (mate OR mating)	USPAT;	2003/12/16
			EPO; JPO;	15:31
			DERWENT;	
			IBM_TDB	
-	150	345/\$.ccls. AND (mate OR mating) AND	USPAT;	2003/12/16
		(copy OR reproduction OR replica)	EPO; JPO;	15:33
			DERWENT;	
	_		IBM_TDB	/
-	5	345/\$.ccls. AND (mate OR mating) SAME	USPAT;	2003/12/16
		(copy OR reproduction OR replica)	EPO; JPO;	15:40
			DERWENT;	
	_		IBM_TDB	/
-	50	345/\$.ccls. AND (mate OR mating OR	USPAT;	2003/12/16
		attach\$4 OR link\$4 OR interfac\$4 OR	EPO; JPO;	15:43
		join\$4) SAME ((smart OR intelligent)	DERWENT;	
		NEAR5 (object OR component))	IBM_TDB	0000 /10 /5-
-	194	(transform\$6 NEAR10 (coordinate OR	USPAT;	2003/12/17
		vert\$5)) SAME ((3D OR (three NEAR	EPO; JPO;	08:48
		dimension\$3) OR virtual) NEAR5 (reality	DERWENT;	
		OR world OR environment))	IBM_TDB	0000/10/15
-	110	(transform\$6 NEAR10 (coordinate OR	USPAT;	2003/12/17
		vert\$5)) SAME ((3D OR (three NEAR	EPO; JPO;	08:48
<u> </u>		dimension\$3) OR virtual) NEAR5 (reality	DERWENT;	
L		OR world OR environment)) AND 345/\$.ccls.	IBM_TDB	

	·			
-	2	5966130.pn.	USPAT;	2003/12/17
			EPO; JPO;	10:51
			DERWENT;	
	l		IBM_TDB	
-	1	5966130.URPN.	USPAT	2003/12/17
}				10:51
_	13	("5060135" "5130794" "5305435"	USPAT	2003/12/17
		"5310349" "5347628" "5374952"		10:51
		"5388990" "5423043" "5512920"		1
	1	"5617515" "5671381" "5689669"		
		"5769640").PN.		
_	35	5671381.URPN.	USPAT	2003/12/17
				10:52
_	765	(3D OR (three NEAR5 dimension\$4)) SAME	USPAT;	2003/12/17
		(join\$4 OR link\$4 OR interfac\$4 OR	EPO; JPO;	13:22
		connect\$4 OR attach\$5 OR bond\$4) SAME	DERWENT;	
		(chang\$4 OR morph\$4 OR alter\$4 OR	IBM TDB	
	}	switch\$4) AND 345/\$.ccls.	_	
_	289		USPAT;	2003/12/17
		(join\$4 OR link\$4 OR interfac\$4 OR	EPO; JPO;	13:56
		connect\$4 OR attach\$5 OR bond\$4) SAME	DERWENT;	
		(chang\$4 OR morph\$4 OR alter\$4 OR	IBM TDB	<u> </u>
		switch\$4) AND ((virtual OR 3D OR (three		
		NEAR5 dimension\$4)) NEAR5 (reality OR		
		environment)) AND 345/\$.ccls.		
_	2	6362817.URPN.	USPAT	2003/12/17
		0000017.011111.	551111	13:49
_	3	("4688181" "5504853" "5748867").PN.	USPAT	2003/12/17
		(4000101 3304033 3740007 /:IN:	OSTAT	13:49
_	2	6,295,069.pn.	USPAT;	2003/12/17
		0,293,003.pii.	EPO; JPO;	13:57
ł			DERWENT;	1 13.37
			IBM TDB	
	2	6 222 950 nm	USPAT;	2003/12/17
-	2	6,323,859.pn.	EPO; JPO;	13:57
			DERWENT;	13.37
İ			1	
		C 272 402	IBM_TDB	2002/12/17
-	2	6,373,492.pn.	USPAT;	2003/12/17
			EPO; JPO;	13:57
			DERWENT;	
		F F12 210	IBM_TDB	2002/12/17
_	2	5,513,310.pn.	USPAT;	2003/12/17
			EPO; JPO;	13:57
			DERWENT;	
		5 462 702	IBM_TDB	2002/12/17
-	2	5,463,722.pn.	USPAT;	2003/12/17
			EPO; JPO;	13:58
			DERWENT;	
	_	5 460 700	IBM_TDB	2002/12/27
-	2	5,463,722.pn.	USPAT;	2003/12/17
			EPO; JPO;	13:58
1			DERWENT;	
	_		IBM_TDB	0000 (10 (5 -
-	2	6,448,964.pn.	USPAT;	2003/12/17
1			EPO; JPO;	14:03
1			DERWENT;	
1			IBM_TDB	
-	2	5,588,098.pn.	USPAT;	2003/12/17
			EPO; JPO;	13:59
1	1		DERWENT;	,
	1		IBM_TDB	
-	2	5894310.pn.	USPAT;	2003/12/17
	1		EPO; JPO;	13:59
	1		DERWENT;	
	1		IBM_TDB	
_	1	6448964.URPN.	USPAT	2003/12/17
	1		[14:00
-	7	("5428721" "5588098" "5694142"	USPAT	2003/12/17
	1	"5738352" "5771042" "5825308"		14:02
1		"5694153").PN.		
	1	<u> </u>		·

				
-	2	5894310.pn.	USPAT;	2003/12/17
			EPO; JPO;	14:26
			DERWENT;	
			IBM TDB	
	14	/ / / / 0120121		2002/12/17
-	14	("4813013" "4974174" "5261041"	USPAT	2003/12/17
		"5297241" "5553209" "5583977"		14:03
		"5583984" "5586237" "5611031"		
		"5642475" "5649086" "5701403"		i
		"5771044" "5825365").PN.		
	21		HCDAM	2002/12/17
-	21	3094310.URPN.	USPAT	2003/12/17
				14:05
-	235	(maze OR level OR world) NEAR2 (build\$4	USPAT;	2003/12/17
]		OR creat\$4 OR edit\$4) SAME (3D OR (three	EPO; JPO;	15:06
ł		NEAR2 dimension\$3))	DERWENT;	
		THE REPORT OF THE PROPERTY OF	IBM TDB	
ŀ	200505	/	_	0000 (10 (10
_	382525	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/12/18
		join\$4) NEAR10 (chos\$4 OR choos\$4 OR	EPO; JPO;	08:46
		pick\$4 OR select\$5) AND CAD OR CAM OR	DERWENT;	
		((3D OR virtual OR (three NEAR5	IBM TDB	
		dimension\$3)) NEAR5 (world OR environment		
		OR reality))]
			TIGDAM:	2002/12/20
-	942	(connect\$4 OR attach\$4 OR link\$4 OR	USPAT;	2003/12/18
1		join\$4) NEAR10 (chos\$4 OR choos\$4 OR	EPO; JPO;	17:04
		pick\$4 OR select\$5) AND (CAD OR CAM OR	DERWENT;	
1		((3D OR virtual OR (three NEAR5	IBM TDB	
	i	dimension\$3)) NEAR5 (world OR environment		
	1	OR reality))) AND 345/\$.ccls.		
	200			0000/10/10
-	283		USPAT;	2003/12/18
		join\$4) NEAR10 (chos\$4 OR choos\$4 OR	EPO; JPO;	10:25
	}	pick\$4 OR select\$5) SAME (multipl\$6 OR	DERWENT;	_
		several OR numerous OR plural\$6) AND (CAD	IBM TDB	,
		OR CAM OR ((3D OR virtual OR (three NEAR5		
	ļ	dimension\$3)) NEAR5 (world OR environment		
		OR reality))) AND 345/\$.ccls.		
-	8	("5278948" "5345546" "5377320"	USPAT	2003/12/18
		"5390292" "5488684" "5497453"		09:27
		"5510995" "5555356").PN.		
1_	2		USPAT	2003/12/18
_	2	J00J0J1.0RFN.	USFAI	l
	_			09:28
-	5		USPAT	2003/12/18
		"5427531" "5452238").PN.		09:32
-	6	5831875.URPN.	USPAT	2003/12/18
ļ	1			09:33
_	41	345/642.ccls.	USPAT;	2003/12/18
	41	J7J/ U7Z. CC13.	1	1
			EPO; JPO;	10:45
			DERWENT;	
			IBM_TDB	
-	8423	(CAD OR CAM OR ((level OR world) NEAR2	USPAT;	2003/12/18
		(editor OR builder OR creator)) OR ((3D	EPO; JPO;	11:00
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	
		NEAR2 (world OR reality OR	IBM_TDB	
		environment))) AND ((proxmity OR nearness		ł l
		OR closeness OR distance) NEAR10		
		(select\$4 OR pick\$4 OR chos\$3 OR		
		choos\$4))		l
_	427		USPAT;	2003/12/18
	"4"		l .	1
		(editor OR builder OR creator)) OR ((3D	EPO; JPO;	11:00
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	
		NEAR2 (world OR reality OR	IBM_TDB	
		environment))) AND ((proxmity OR nearness	_	•
1	1	OR closeness OR distance) NEAR10		
		(select\$4 OR pick\$4 OR chos\$3 OR		
	1			
L	I	choos\$4)) AND 345/\$.ccls.	l	L

	2195	(CAD OR CAM OR ((level OR world) NEAR2	IICDAM.	2002/12/19
-	2195	(editor OR builder OR creator)) OR ((3D	USPAT; EPO; JPO;	2003/12/18 11:02
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	11.02
	İ	NEAR2 (world OR reality OR	IBM TDB	
		environment))) AND ((proxmity OR nearness		
		OR closeness OR distance) NEAR10		
		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)		
		SAME (connect\$4 OR attach\$4 OR join\$4 OR		
		link\$4 OR bond\$4))		
-	48	1 '	USPAT;	2003/12/18
		(editor OR builder OR creator)) OR ((3D	EPO; JPO;	11:14
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	
		NEAR2 (world OR reality OR	IBM_TDB	
		environment))) AND ((proxmity OR nearness OR closeness OR distance) NEAR10		
İ		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)		
		SAME (connect\$4 OR attach\$4 OR join\$4 OR		
		link\$4 OR bond\$4)) AND 345/\$.ccls.		
_	390	(CAD OR CAM OR ((level OR world) NEAR2	USPAT;	2003/12/18
		(editor OR builder OR creator)) OR ((3D	EPO; JPO;	11:19
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	
		NEAR2 (world OR reality OR	IBM_TDB	
		environment))) AND ((proxmity OR nearness		
		OR closeness OR distance) NEAR10		
		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)		
		NEAR10 (several OR mulitpl\$6 OR plural\$6 OR numerous))		
_	22	(CAD OR CAM OR ((level OR world) NEAR2	USPAT;	2003/12/18
		(editor OR builder OR creator)) OR ((3D	EPO; JPO;	12:24
		OR (three NEAR2 dimension\$3) OR virtual)	DERWENT;	
		NEAR2 (world OR reality OR	IBM TDB	
		environment))) AND ((proxmity OR nearness	_	
		OR closeness OR distance) NEAR10		
		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)		
		NEAR10 (several OR mulitpl\$6 OR plural\$6		
	0	OR numerous)) AND 345/\$.ccls. 6014145.URPN.	USPAT	2003/12/18
_		6014143.0RPN.	USPAI	12:20
_	8	("4578757" "5047916" "5056031"	USPAT	2003/12/18
		"5347459" "5515489" "5528735"		12:20
		"5548694" "5561742").PN.		
-	101	Gantt.in.	USPAT;	2003/12/18
			EPO; JPO;	12:24
			DERWENT;	
1	_	Contt in AND 245/6 1-	IBM_TDB	2002/12/10
-	7	Gantt.in. AND 345/\$.ccls.	USPAT;	2003/12/18
			EPO; JPO; DERWENT;	16:08
			IBM TDB	
_	26	5572639.URPN.	USPAT	2003/12/18
1				12:36
-	3306	(interface OR edge OR boundary) NEAR10	USPAT;	2003/12/18
		(plug OR fill OR block OR seal) AND	EPO; JPO;	13:17
1		345/\$.ccls.	DERWENT;	
	240	//interface OD adds OD have dawn) MDDD10	IBM_TDB	2002/12/10
-	348	((interface OR edge OR boundary) NEAR10 (plug OR fill OR block OR seal)) AND (CAD	USPAT; EPO; JPO;	2003/12/18 13:31
1		OR CAM) AND 345/\$.ccls.	DERWENT;	12:21
1		01. 0141/ FEID 010/ 9.0010.	IBM TDB	
_	632	((interface OR edge OR boundary) NEAR10	USPAT;	2003/12/18
		(plug OR fill OR block OR seal)) SAME	EPO; JPO;	13:33
		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)	DERWENT;	
		AND 345/\$.ccls.	IBM_TDB	
-	81	((interface OR edge OR boundary) NEAR10	USPAT;	2003/12/19
		(plug OR fill OR block OR seal)) SAME	EPO; JPO;	08:18
		(select\$4 OR pick\$4 OR chos\$3 OR choos\$4)	DERWENT;	
	21	AND (CAD OR CAM) AND 345/\$.ccls.	IBM_TDB	2002/12/10
1	21	((interface OR edge OR boundary) NEAR10 (plug OR fill OR seal)) SAME (select\$4 OR	USPĀT; EPO; JPO;	2003/12/18 14:46
1		pick\$4 OR chos\$3 OR choos\$4) AND (CAD OR	DERWENT;	11.10
1		CAM) AND 345/\$.ccls.	IBM TDB	
L	1	1 ====, ==== = =====		

-	2	6362817.pn.	USPAT; EPO; JPO; DERWENT;	2003/12/18 15:50
-	7260	NEAR10 (connect\$4 OR attach\$4 OR link\$4	IBM_TDB USPAT; EPO; JPO;	2003/12/18 15:56
-	36		DERWENT; IBM_TDB USPAT;	2003/12/18
		NEAR10 (plug OR fill OR seal) NEAR10 (connect\$4 OR attach\$4 OR link\$4 OR join\$4) AND (345/\$.ccls.)	EPO; JPO; DERWENT; IBM_TDB	15:58
-	7		USPAT	2003/12/18
-	3284	connector AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/18
-	4300	(connector OR plug) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:11
_	359	(connector OR plug) NEAR10 (several OR mulitpl\$6 OR plural\$6 OR numerous) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/18 16:32
-	164	345/848.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/18 17:03
	95	(construct\$4 OR build\$4 OR creat\$4) NEAR5 (world OR environment)AND ((interface OR edge OR boundary) NEAR10 (plug OR fill OR seal)) SAME (select\$4 OR pick\$4 OR chos\$3 OR choos\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 17:33
_	7349	· · ·	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 08:05
_	465		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 08:06
-	102	(3D OR (three NEAR5 dimension\$3)) AND (GUI OR (user NEAR2 interface)) AND (CAD OR CAM OR (virtual NEAR5 (reality OR environment))) AND ((chang\$4 OR alter\$4 OR switch\$4 OR transform\$4) NEAR10 (close\$5 OR near\$5 OR distance OR proximity)) SAME (connect\$4 OR attach\$4 OR link\$4 OR join\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/12/19 08:07
-	3	6256595.URPN.	USPAT	2003/12/19 08:13
-	6	"5771044" "5929856" "6025846").PN.	USPAT	2003/12/19 08:14
_	17	((interface OR edge OR boundary OR gap) NEAR10 (plug OR fill OR block OR seal)) SAME (CAD OR CAM) AND 345/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/19
_	1	0014574.pn.	USPAT; EPO; JPO; DERWENT;	2003/12/19 10:33
-	0	WO0014574.pn.	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2003/12/19 10:33

-	12	Virtus.as.	USPAT;	2003/12/19
			EPO; JPO;	13:07
			DERWENT;	
			IBM TDB	
-	33	5414801.URPN.	USPAT	2003/12/19
				12:58
-	101	Doak.in.	USPAT;	2003/12/19
			EPO; JPO;	13:07
İ			DERWENT;	
			IBM_TDB	
-	2	Doak.in. AND Ellis.in.	USPAT;	2003/12/19
			EPO; JPO;	13:08
			DERWENT;	
			IBM_TDB	
-	4	Doak.in. AND David.in.	USPAT;	2003/12/19
			EPO; JPO;	13:08
			DERWENT;	
			IBM_TDB	
-	2	6362817.pn.	USPAT;	2003/12/19
			EPO; JPO;	17:43
			DERWENT;	
			IBM_TDB	
-	2	6414679.pn.	USPAT;	2003/12/19
			EPO; JPO;	17:43
			DERWENT;	.
			IBM_TDB	·